

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

Home	Quick	Advanced	Pat Num	Help
Bottom		View Cart		

10/763, 023

Searching 1976 to present...

Results of Search in 1976 to present db for:
((AN/wisconsin AND 2-methyl) AND 2-alkyl): 13 patents.
Hits 1 through 13 out of 13

[Jump To](#)

[Refine Search](#)

PAT. NO.	Title
1 6,846,811	T (20S) 1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-nor-vitamin D3 and their uses
2 6,844,457	T (20S)-1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-nor-vitamin D3 and their uses
3 6,844,332	T (20S)-1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-nor-vitamin D3 and their uses
4 6,844,331	T (20S)-1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-nor-vitamin D3 and their uses
5 6,844,330	T (20S)-1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-NOR-vitamin D3 and their uses
6 6,806,262	T 2-ethyl and 2-ethylidene-19-nor-vitamin D compounds
7 6,667,298	T 26,27-Homologated-20-EPI-2-alkyl-19-NOR-vitamin D compounds
8 6,627,622	T (20S)-1.alpha.-hydroxy-2-methylene-19-nor-bishomopregnacalciferol and its uses
9 6,579,861	T 1.alpha.-hydroxy-2-methylene-19-nor-homopregnacalciferol and its uses
10 6,566,352	T 1.alpha.-hydroxy-2-methylene-19-nor-pregnacalciferol and its uses
11 6,544,969	T 26,27-homologated-20-epi-2-alkyl-19-nor-vitamin D compounds
12 6,440,953	T 1.alpha.-hydroxy-2-methylene-19-nor-homopregnacalciferol and its uses
13 6,316,642	T 26,27-Homologated-20-EPI-2alkyl-19-nor-vitamin D compounds

Top		View Cart		
Home	Quick	Advanced	Pat Num	Help

Home

Advanced

Help

Bottom

[View Cart](#)

Results of Search in 1976 to present db for:
((IN/deluca AND 2-methyl) AND 2-alkyl): 13 patents.
Hits 1 through 13 out of 13

10/763,023

Jump To

Refine Search

in/delUCA and 2-methyl and 2-alkyl

PAT. NO.	Title
-------------	-------

- 1 6,846,811 **T** (20S)-1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-nor-vitamin D3 and their uses
- 2 6,844,457 **T** (20S)-1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-nor-vitamin D3 and their uses
- 3 6,844,332 **T** (20S)-1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-nor-vitamin D3 and their uses
- 4 6,844,331 **T** (20S)-1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-nor-vitamin D3 and their uses
- 5 6,844,330 **T** (20S)-1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-NOR-vitamin D3 and their uses
- 6 6,806,262 **T** 2-ethyl and 2-ethylidene-19-nor-vitamin D compounds
- 7 6,667,298 **T** 26,27-Homologated-20-EPI-2-alkyl-19-NOR-vitamin D compounds
- 8 6,627,622 **T** (20S)-1.alpha.-hydroxy-2-methylene-19-nor-bishomopregnacalciferol and its uses
- 9 6,579,861 **T** 1.alpha.-hydroxy-2-methylene-19-nor-homopregnacalciferol and its uses
- 10 6,566,352 **T** 1.alpha.-hydroxy-2-methylene-19-nor-pregnacalciferol and its uses
- 11 6,544,969 **T** 26,27-homologated-20-epi-2-alkyl-19-nor-vitamin D compounds
- 12 6,440,953 **T** 1.alpha.-hydroxy-2-methylene-19-nor-homopregnacalciferol and its uses
- 13 6,316,642 **T** 26,27-Homologated-20-EPI-2alkyl-19-nor-vitamin D compounds

Top

[View Cart](#)

Home

Quick

Advanced

Pat Num

Help

USPTO PATENT FULL-TEXT AND IMAGE DATABASE[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Bottom](#)[View Cart](#)

Searching 1976 to present...

16/763,023

Results of Search in 1976 to present db for:

((CCL/514/167 AND IN/deluca) AND 19-nor): 41 patents.

Hits 1 through 41 out of 41

[Jump To](#)[Refine Search](#)

ccl/514/167 and in/deluca and 19-nor

- | PAT.
NO. | Title |
|------------------------------|--|
| 1 6,894,037 | T 2-methylene-19-nor-20(S)-25-methyl-1α-hydroxycalciferol and its uses |
| 2 6,887,860 | T (20S)-1α-hydroxy-2-methylene-19-nor-bishomopregnacalciferol and its uses |
| 3 6,846,811 | T (20S) 1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-nor-vitamin D3 and their uses |
| 4 6,844,332 | T (20S)-1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-nor-vitamin D3 and their uses |
| 5 6,844,331 | T (20S)-1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-nor-vitamin D3 and their uses |
| 6 6,844,330 | T (20S)-1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-NOR-vitamin D3 and their uses |
| 7 6,806,262 | T 2-ethyl and 2-ethylidene-19-nor-vitamin D compounds |
| 8 6,696,431 | T 26,27-homologated-20-EPI-2-alkylidene-19-nor-vitamin D compounds |
| 9 6,667,298 | T 26,27-Homologated-20-EPI-2-alkyl-19-NOR-vitamin D compounds |
| 10 6,627,622 | T (20S)-1.alpha.-hydroxy-2-methylene-19-nor-bishomopregnacalciferol and its uses |
| 11 6,579,861 | T 1.alpha.-hydroxy-2-methylene-19-nor-homopregnacalciferol and its uses |
| 12 6,566,352 | T 1.alpha.-hydroxy-2-methylene-19-nor-pregnacalciferol and its uses |
| 13 6,544,969 | T 26,27-homologated-20-epi-2-alkyl-19-nor-vitamin D compounds |
| 14 6,537,981 | T 26,27-Homologated-20-EPI-2-alklidene-19-nor-vitamin D compounds |
| 15 6,440,953 | T 1.alpha.-hydroxy-2-methylene-19-nor-homopregnacalciferol and its uses |
| 16 6,306,844 | T Use of 2.alpha.-methyl-19-nor-20(S)-1.alpha., 25-dihydroxyvitamin D3 to increase bone strength |
| 17 6,291,444 | T Treatment of t-cell immunodeficiencies with vitamin D compounds |
| 18 6,277,837 | T 2-alkyl-19-nor-vitamin D compounds |

T

- 19 [5,945,410](#) [2-alkyl-19-nor-vitamin D compounds](#)
- 20 [5,939,406](#) [T 18-substituted-19-nor-vitamin D compounds](#)
- 21 [5,880,114](#) [T Treatment of immune deficiency with vitamin D compounds](#)
- 22 [5,880,113](#) [T 19-nor-vitamin D compounds](#)
- 23 [5,843,928](#) [T 2-alkylidene-19-nor-vitamin D compounds](#)
- 24 [5,843,927](#) [T 18,19-dinor-vitamin D compounds](#)
- 25 [5,756,489](#) [T 18,19-dinor-vitamin D compounds](#)
- 26 [5,721,225](#) [T 18, 19-Dinor-vitamin D compounds](#)
- 27 [5,716,946](#) [T Multiple sclerosis treatment](#)
- 28 [5,654,292](#) [T Methods and compositions containing vitamin D compounds for improvement of skin conditions](#)
- 29 [5,633,241](#) [T 19-nor-vitamin D compounds](#)
- 30 [5,618,805](#) [T 19-nor-vitamin D compounds](#)
- 31 [5,614,512](#) [T 20-Oxo-pregnacalciferol analogs with binding affinity to the progesterone receptor](#)
- 32 [5,612,326](#) [T Methods containing vitamin D compounds for improvement of skin conditions](#)
- 33 [5,597,815](#) [T Prevention of hyperphosphatemia in kidney disorder patients](#)
- 34 [5,578,587](#) [T Methods and compositions containing vitamin D compounds for improvement of skin conditions](#)
- 35 [5,561,123](#) [T Method of treating proliferative skin disorders with 19-nor-vitamin D compounds](#)
- 36 [5,536,713](#) [T 19-Nor-vitamin D.sub.3 compounds with substituent at 2-position](#)
- 37 [5,459,136](#) [T Methods using vitamin D compounds for improvement of skin conditions](#)
- 38 [5,397,776](#) [T Vitamin D compounds with anti-progesterone activity](#)
- 39 [5,321,018](#) [T Use of 1.alpha.-hydroxylated-19-nor-vitamin D compounds to treat psoriasis](#)
- 40 [5,246,925](#) [T 19-nor-vitamin D compounds for use in treating hyperparathyroidism](#)
- 41 [5,185,150](#) [T Cosmetic compositions containing 19-nor-vitamin D compounds](#)
-

[Top](#)[View Cart](#)[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

Home	Quick	Advanced	Pat Num	Help
Next List	Bottom	View Cart		

Searching 1976 to present...

16/763,023

Results of Search in 1976 to present db for:
(CCL/514/167 AND IN/deluca): 105 patents.
Hits 1 through 50 out of 105

[Next 50 Hits](#)[Jump To](#) [Refine Search](#)

PAT. NO.	Title
1 6,894,037	T 2-methylene-19-nor-20(S)-25-methyl-1α-hydroxycalciferol and its uses
2 6,890,914	T Method of locking 1α-OH of vitamin D compounds in axial orientation
3 6,887,860	T (20S)-1α-hydroxy-2-methylene-19-nor-bishomopregnacalciferol and its uses
4 6,846,811	T (20S) 1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-nor-vitamin D3 and their uses
5 6,844,332	T (20S)-1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-nor-vitamin D3 and their uses
6 6,844,331	T (20S)-1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-nor-vitamin D3 and their uses
7 6,844,330	T (20S)-1.alpha.-hydroxy-2.alpha.-methyl and 2.beta.-methyl-19-NOR-vitamin D3 and their uses
8 6,835,723	T 2-methylene-19-nor-20(S)-1.alpha.-hydroxy-bis-homo-pregnacalciferol in crystalline form
9 6,806,262	T 2-ethyl and 2-ethylidene-19-nor-vitamin D compounds
10 6,696,431	T 26,27-homologated-20-EPI-2-alkylidene-19-nor-vitamin D compounds
11 6,673,782	T Treatment of systemic lupus erythematosus
12 6,667,298	T 26,27-Homologated-20-EPI-2-alkyl-19-NOR-vitamin D compounds
13 6,627,622	T (20S)-1.alpha.-hydroxy-2-methylene-19-nor-bishomopregnacalciferol and its uses
14 6,579,861	T 1.alpha.-hydroxy-2-methylene-19-nor-homopregnacalciferol and its uses
15 6,566,352	T 1.alpha.-hydroxy-2-methylene-19-nor-pregnacalciferol and its uses
16 6,544,969	T 26,27-homologated-20-epi-2-alkyl-19-nor-vitamin D compounds
17 6,537,981	T 26,27-Homologated-20-EPI-2-alklidene-19-nor-vitamin D compounds

- 18 [6,482,812](#) **T** [Method of locking 1.alpha.-OH of vitamin D compounds in axial orientation](#)
- 19 [6,479,474](#) **T** [Dietary calcium as a supplement to vitamin D compound treatment of multiple sclerosis](#)
- 20 [6,462,031](#) **T** [Crystalline 1.alpha.-hydroxyvitamin D2 and method of purification thereof](#)
- 21 [6,440,953](#) **T** [1.alpha.-hydroxy-2-methylene-19-nor-homopregnacalciferol and its uses](#)
- 22 [6,432,936](#) **T** [Crystalline 1.alpha.-hydroxyvitamin D2 and method of purification thereof](#)
- 23 [6,369,099](#) **T** [Method of locking 1.alpha.-OH of vitamin D compounds in axial orientation](#)
- 24 [6,306,844](#) **T** [Use of 2.alpha.-methyl-19-nor-20\(S\)-1.alpha., 25-dihydroxyvitamin D3 to increase bone strength](#)
- 25 [6,291,444](#) **T** [Treatment of t-cell immunodeficiencies with vitamin D compounds](#)
- 26 [6,277,837](#) **T** [2-alkyl-19-nor-vitamin D compounds](#)
- 27 [6,114,317](#) **T** [Method of locking 1.alpha.-OH of vitamin D compounds in axial orientation](#)
- 28 [6,071,897](#) **T** [Use of vitamin D compounds to prevent transplant rejection](#)
- 29 [6,022,555](#) **T** [Animal feed containing carboxylic acids](#)
- 30 [5,976,784](#) **T** [Calcitriol derivatives and their uses](#)
- 31 [5,952,317](#) **T** [Calcitriol derivatives and their uses](#)
- 32 [5,945,410](#) **T** [2-alkyl-19-nor-vitamin D compounds](#)
- 33 [5,942,502](#) **T** [Method of treating diseases resulting from calcium metabolism disorders](#)
- 34 [5,939,406](#) **T** [18-substituted-19-nor-vitamin D compounds](#)
- 35 [5,891,865](#) **T** [Treatment of arthritic disease induced by infectious agents](#)
- 36 [5,880,114](#) **T** [Treatment of immune deficiency with vitamin D compounds](#)
- 37 [5,880,113](#) **T** [19-nor-vitamin D compounds](#)
- 38 [5,843,928](#) **T** [2-alkylidene-19-nor-vitamin D compounds](#)
- 39 [5,843,927](#) **T** [18,19-dinor-vitamin D compounds](#)
- 40 [5,767,111](#) **T** [18-nor-vitamin D compounds](#)
- 41 [5,756,489](#) **T** [18,19-dinor-vitamin D compounds](#)
- 42 [5,721,225](#) **T** [18, 19-Dinor-vitamin D compounds](#)
- 43 [5,721,224](#) **T** [Method of treating metabolic bone diseases with 18-nor-vitamin D compounds](#)
- 44 [5,716,946](#) **T** [Multiple sclerosis treatment](#)
- 45 [5,661,140](#) **T** [18-nor-vitamin D compounds](#)
- 46 [5,654,292](#) **T** [Methods and compositions containing vitamin D compounds for improvement of skin conditions](#)
- 47 [5,633,241](#) **T** [19-nor-vitamin D compounds](#)
- 48 [5,618,805](#) **T** [19-nor-vitamin D compounds](#)
- 49 [5,614,512](#) **T** [20-Oxo-pregnacalciferol analogs with binding affinity to the progesterone receptor](#)
- 50 [5,612,326](#) **T** [Methods containing vitamin D compounds for improvement of skin conditions](#)
-

USPTO PATENT FULL-TEXT AND IMAGE DATABASE[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Bottom](#)[View Cart](#)

Searching 1976 to present...

10/763,023

Results of Search in 1976 to present db for:**((AN/wisconsin AND 2-ethyl) AND 2-alkyl): 4 patents.****Hits 1 through 4 out of 4**[Jump To](#)[Refine Search](#)

an/wisconsin and 2-ethyl and 2-alkyl

PAT. NO. Title

- 1 [6,806,262](#) **T** [2-ethyl and 2-ethylidene-19-nor-vitamin D compounds](#)
- 2 [6,667,298](#) **T** [26,27-Homologated-20-EPI-2-alkyl-19-NOR-vitamin D compounds](#)
- 3 [6,544,969](#) **T** [26,27-homologated-20-epi-2-alkyl-19-nor-vitamin D compounds](#)
- 4 [6,316,642](#) **T** [26,27-Homologated-20-EPI-2alkyl-19-nor-vitamin D compounds](#)
-

[Top](#)[View Cart](#)[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)